

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : **X-POSE**  
Product code : 133

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Sealer-Finish

### 1.3. Details of the supplier of the safety data sheet

Crestek Cleaning Center, Inc.  
1161 Kapiolani Blvd.  
Honolulu, HI 96814  
T 1-(808) 942-2500

### 1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GHS US classification

Not classified

### 2.2. Label elements

#### GHS US labeling

### 2.3. Hazard not otherwise classified (HNOC)

No additional information available.

### 2.4. Unknown acute toxicity (GHS US)

No data available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable.

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-phrases: see section 16

### 3.2. Mixture

Name	Product identifier	%	GHS US classification
styrene acrylic copolymer*	(CAS-No.) Trade Secret	15 - 20	Acute Tox. 4 (Oral), H302
1-phenoxy-2-propanol	(CAS-No.) 770-35-4	1 - 5	Eye Irrit. 2A, H319

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : If skin irritation or rash occurs: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause slight irritation.

Symptoms/effects after eye contact : Slight irritation.

# X-POSE

## Safety Data Sheet

Symptoms/effects after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa.  
Nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Extinguishing media for surrounding fires. Adapt extinguishing media to the environment.  
Unsuitable extinguishing media : No unsuitable extinguishing media known.

### 5.2. Special hazards arising from the substance or mixture

No additional information available.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.  
Other information : No additional information available.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Provide good ventilation in process area to prevent formation of vapor.  
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No data available

### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.  
Hand protection : In case of repeated or prolonged contact wear gloves.  
Eye protection : Chemical goggles or safety glasses.  
Skin and body protection : Wear suitable protective clothing.  
Other information : Do not eat, drink or smoke during use.

# X-POSE

## Safety Data Sheet

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: White
Odor	: Acrylic
Odor threshold	: No data available
pH	: 7.7 - 8.7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: $\geq 212$ °F
Flash point	: Will not flash
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosion limits	: No data available
Vapor pressure	: No data available
Vapor density	: No data available
Specific Gravity @ 77° F	: 1.011 - 1.031
Solubility	: Water: Complete
Partition Coefficient n-Octanol-Water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available

#### 9.2. Other information

VOC content : < 30 g/l CARB VOC

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available.

#### 10.2. Chemical stability

Stable under recommended conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Extremely high or low temperatures.

#### 10.5. Incompatible materials

Oxidizers.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

styrene acrylic copolymer	
LD50 oral rat	1800 mg/kg (Rat)
ATE US (oral)	1800 mg/kg body weight
1-phenoxy-2-propanol (770-35-4)	
LD50 oral rat	2830 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 5.4 mg/l/4h (Rat)

# X-POSE

## Safety Data Sheet

<b>1-phenoxy-2-propanol (770-35-4)</b>	
ATE US (oral)	2830 mg/kg body weight
Skin corrosion/irritation	: Not classified pH: 7.7 - 8.7
Serious eye damage/irritation	: Not classified pH: 7.7 - 8.7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified

<b>styrene acrylic copolymer</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after skin contact	: May cause slight irritation.
Symptoms/effects after eye contact	: Slight irritation.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.

### SECTION 12: Ecological information

#### 12.1. Toxicity

<b>styrene acrylic copolymer</b>	
LC50 fish 1	500 mg/l (48 h; Leuciscus idus)

#### 12.2. Persistence and degradability

<b>styrene acrylic copolymer</b>	
Persistence and degradability	Non-degradable in the soil.

<b>1-phenoxy-2-propanol (770-35-4)</b>	
Persistence and degradability	Biodegradability in water: no data available.

#### 12.3. Bioaccumulative potential

<b>styrene acrylic copolymer</b>	
Bioaccumulative potential	No bioaccumulation data available.

<b>1-phenoxy-2-propanol (770-35-4)</b>	
Log Pow	1.52 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

#### 12.4. Other adverse effects

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### 14.1. UN Number

UN-No.(DOT) : Not Regulated

# X-POSE

## Safety Data Sheet

Other information : No supplementary information available.

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not Regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

polydimethylsiloxane and auxiliary	CAS-No.	< 0.1%
------------------------------------	---------	--------

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

ammonia	CAS-No. 1336-21-6	< 0.1%
---------	-------------------	--------

#### styrene acrylic copolymer

Listed on the United States TSCA (Toxic Substances Control Act) inventory.  
Listed on the Canadian DSL (Domestic Substances List).

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
--------------------------	---

#### 1-phenoxy-2-propanol (770-35-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
-------------------------------------	---------------------------------

### 15.2. International regulations

#### CANADA

#### styrene acrylic copolymer

Listed on the Canadian DSL (Domestic Substances List).

#### EU-Regulations

No additional information available.

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

### 15.2.2. National regulations

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

## SECTION 16: Other information

Abbreviations Legend:

H302	Harmful if swallowed
H319	Causes serious eye irritation

#### Disclaimer

*This document is generated for the purpose of distributing health, safety, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.*

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Revision date: 10/20/2020      Supersedes: 08/08/2018      Version: 1.2