

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture  
Product name : **Tile Brite**  
Product code : 366

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : Tile and Bowl Cleaner

**1.3. Details of the supplier of the safety data sheet**

Crestek Cleaning Center, Inc.  
1161 Kapiolani Blvd.  
Honolulu, HI 96814  
T 1-(808) 942-2500

**1.4. Emergency telephone number**

Emergency number : CHEMTEL: 800-255-3924

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**GHS US classification**

Skin Corr. 1C H314  
Eye Dam. 1 H318

Full text of H statements : see section 16

**2.2. Label elements**

**GHS US labeling**

Hazard pictograms :



GHS05

Signal word :

Danger

Hazard statements :

Causes severe skin burns and eye damage.  
Causes serious eye damage.

Precautionary statements :

Do not breathe fume, mist, vapors.  
Wash hands and forearms thoroughly after handling.  
Wear eye protection, face protection, protective clothing, protective gloves.  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a poison center or doctor/physician.  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents/container in accordance with Local, State, and Federal regulations.

**2.3. Hazard not otherwise classified (HNOC)**

No additional information available.

**2.4. Unknown acute toxicity (GHS US)**

No data available

**SECTION 3: Composition/Information on ingredients**

**3.1. Substances**

Not applicable.

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

# Tile Brite

## Safety Data Sheet

Full text of H-phrases: see section 16

### 3.2. Mixture

Name	Product identifier	%	GHS US classification
phosphoric acid	(CAS-No.) 7664-38-2	20 - 25	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314
alcohols, C9-11, ethoxylated	(CAS-No.) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Immediately call a poison center or doctor/physician.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage. If you feel unwell, seek medical advice.
Symptoms/effects after skin contact	: Causes burns/corrosion of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Abdominal pain.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Reactivity	: Reacts violently with (strong) bases. Reacts with (some) halogen compounds. Thermal decomposition generates : Corrosive vapors.
------------	---

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: No additional information available.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Isolate from fire, if possible, without unnecessary risk.
------------------	---

#### 6.1.1. For non-emergency personnel

Protective equipment	: Protective goggles. Protective gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# Tile Brite

## Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. If reacting: dilute toxic gas/vapor with water spray.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Neutralize small quantities of the liquid spill with lime, sodium bicarbonate, soda (sodium carbonate) or soda ash. Wash down leftovers with plenty of water. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

No additional information available.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe fume, mist, vapors. Ensure good ventilation of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.
- Incompatible products : Strong bases. Oxidizing agent.
- Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

phosphoric acid (7664-38-2)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
OSHA	OSHA PEL (STEL) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>

### 8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or face shield.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. In case of insufficient ventilation, wear suitable respiratory equipment.
- Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Color : Clear green
- Odor : Bubble gum
- Odor threshold : No data available
- pH : < 2
- Melting point : No data available
- Freezing point : No data available
- Boiling point : > 212 °F
- Flash point : > 200 °F
- Relative evaporation rate (butyl acetate=1) : No data available
- Flammability (solid, gas) : No data available

# Tile Brite

## Safety Data Sheet

Explosion limits : No data available  
Vapor pressure : No data available  
Vapor density : No data available

Specific Gravity @ 77° F : 1.105 - 1.125  
Solubility : Soluble in water  
Partition Coefficient n-Octanol-Water : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity : 350 - 600 cP

### 9.2. Other information

VOC content : < 5 g/l CARB VOC

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts violently with (strong) bases. Reacts with (some) halogen compounds. Thermal decomposition generates : Corrosive vapors.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and bases. Contact with halogenated compounds may liberate toxic gas.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong bases. Oxidizers.

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Phosphorus oxides. Thermal decomposition generates : Corrosive vapors.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### alcohols, C9-11, ethoxylated (68439-46-3)

LD50 oral rat	1378 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
ATE US (oral)	1378 mg/kg body weight

#### phosphoric acid (7664-38-2)

LD50 oral rat	1530 mg/kg (Rat)
LD50 dermal rabbit	2740 mg/kg (Rabbit)
ATE US (oral)	1530 mg/kg body weight
ATE US (dermal)	2740 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns and eye damage.  
pH: < 2

Serious eye damage/irritation : Causes serious eye damage.  
pH: < 2

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after skin contact : Causes burns/corrosion of the skin.

# Tile Brite

## Safety Data Sheet

Symptoms/effects after eye contact : Causes serious eye damage.  
Symptoms/effects after ingestion : Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Abdominal pain.

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### alcohols, C9-11, ethoxylated (68439-46-3)

LC50 fish 1	5.7 mg/l (Rainbow trout)
EC50 Daphnia 1	2.5 mg/l

##### phosphoric acid (7664-38-2)

EC50 Daphnia 1	> 100 mg/l
ErC50 (algae)	> 100 mg/l

#### 12.2. Persistence and degradability

##### alcohols, C9-11, ethoxylated (68439-46-3)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

#### 12.3. Bioaccumulative potential

##### alcohols, C9-11, ethoxylated (68439-46-3)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

#### 12.4. Other adverse effects

No additional information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### 14.1. UN Number

UN-No.(DOT) : UN1805  
Other information : Under 49 CFR 173.154(c) and (b)(2): This product may be shipped as ORM-D or Limited Quantity if the inner packagings do not exceed 5 L (1.3 gallons) or 5.0 kg (11 lbs). This provision does not apply to transportation by vessel or aircraft, except where other means of transportation is impracticable.

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : UN1805, Phosphoric Acid Solution, 8, PGIII  
Hazard labels (DOT) : 8 - Corrosive



### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

##### alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.
Listed on the Canadian DSL (Domestic Substances List).

# Tile Brite

## Safety Data Sheet

<b>alcohols, C9-11, ethoxylated (68439-46-3)</b>	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
<b>phosphoric acid (7664-38-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Not subject to reporting requirements of the United States SARA Section 313. Listed on the Canadian DSL (Domestic Substances List).	
RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists) :	5000 lb
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard

### 15.2. International regulations

#### CANADA

<b>alcohols, C9-11, ethoxylated (68439-46-3)</b>	
Listed on the Canadian DSL (Domestic Substances List).	
<b>inorganic acid (7664-38-2)</b>	
Listed on the Canadian DSL (Domestic Substances List).	

#### EU-Regulations

No additional information available.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

**Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]**

Not classified

#### 15.2.2. National regulations

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

## SECTION 16: Other information

Abbreviations Legend:

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H401	Toxic to aquatic life

#### Disclaimer

*This document is generated for the purpose of distributing health, safety, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.*

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Revision date: 10/26/2020

Supersedes: 02/27/2020

Version: 1.2