

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture  
Product name : **All Purpose**  
Product code : GP103

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : All Purpose Cleaner

**1.3. Details of the supplier of the safety data sheet**

Crestek Cleaning Center, Inc.  
1161 Kapiolani Blvd.  
Honolulu, HI 96814  
T 1-(808) 942-2500

**1.4. Emergency telephone number**

Emergency number : CHEMTEL: 800-255-3924

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**GHS US classification**

Skin Irrit. 2 H315  
Eye Dam. 1 H318

Full text of H statements : see section 16

**2.2. Label elements**

**GHS US labeling**

Hazard pictograms :



GHS05

Signal word : Danger  
Hazard statements : Causes skin irritation.  
Causes serious eye damage.  
Precautionary statements : Wash hands and forearms thoroughly after handling.  
Wear eye protection, protective gloves.  
If on skin: Wash with plenty of water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a poison center or doctor/physician.  
Specific treatment (see the emergency and first aid section of this Safety Data Sheet on this label).  
If skin irritation occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.

**2.3. Hazard not otherwise classified (HNOC)**

No additional information available.

**2.4. Unknown acute toxicity (GHS US)**

No data available

**SECTION 3: Composition/Information on ingredients**

**3.1. Substances**

Not applicable.

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-phrases: see section 16

**3.2. Mixture**

# All Purpose

## Safety Data Sheet

Name	Product identifier	%	GHS US classification
alcohols, C9-11, ethoxylated	(CAS-No.) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401
1-butoxy-2-propanol	(CAS-No.) 5131-66-8	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: If skin irritation or rash occurs: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use. If you feel unwell, seek medical advice.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the gastric/intestinal mucosa. Nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity	: Reacts with (strong) oxidizers and with (some) acids.
------------	---

#### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: No additional information available.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Isolate from fire, if possible, without unnecessary risk.
------------------	---

##### 6.1.1. For non-emergency personnel

Protective equipment	: Protective goggles. Protective gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# All Purpose

## Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

For containment	: Contain released product, pump into suitable containers. Plug the leak, cut off the supply.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible products	: Strong acids. Oxidizing agent.
Storage area	: Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No data available

### 8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Insufficient ventilation: wear respiratory protection.
Other information	: Do not eat, drink or smoke during use.
Appropriate engineering controls	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Clear blue-green
Odor	: Sassafras
Odor threshold	: No data available
pH	: 10.2 - 11.2
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Vapor pressure	: No data available
Vapor density	: No data available
Specific Gravity @ 77° F	: 0.998 - 1.018
Solubility	: Soluble in water
Partition Coefficient n-Octanol-Water	: No data available

# All Purpose

## Safety Data Sheet

Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity : No data available

### 9.2. Other information

VOC content : < 60 g/l CARB VOC

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with (strong) oxidizers and with (some) acids.

### 10.2. Chemical stability

Stable under recommended conditions.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Oxidizers.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Sulfur oxides.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

1-butoxy-2-propanol (5131-66-8)	
LD50 oral rat	> 2000 mg/kg (Rat)
LD50 dermal rabbit	3100 mg/kg (Rabbit)
ATE US (dermal)	3100 mg/kg body weight
alcohols, C9-11, ethoxylated (68439-46-3)	
LD50 oral rat	1378 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
ATE US (oral)	1378 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

pH: 10.2 - 11.2

Serious eye damage/irritation : Causes serious eye damage.

pH: 10.2 - 11.2

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the gastric/intestinal mucosa. Nausea.

## SECTION 12: Ecological information

### 12.1. Toxicity

# All Purpose

## Safety Data Sheet

1-butoxy-2-propanol (5131-66-8)	
LC50 fish 1	1060 mg/l (Fathead minnow)
EC50 Daphnia 1	> 1000 mg/l
NOEC (acute)	560 mg/l (Daphnia magna)

alcohols, C9-11, ethoxylated (68439-46-3)	
LC50 fish 1	5.7 mg/l (Rainbow trout)
EC50 Daphnia 1	2.5 mg/l

### 12.2. Persistence and degradability

1-butoxy-2-propanol (5131-66-8)	
Persistence and degradability	Readily biodegradable in water.

alcohols, C9-11, ethoxylated (68439-46-3)	
Persistence and degradability	Readily biodegradable in water.

### 12.3. Bioaccumulative potential

1-butoxy-2-propanol (5131-66-8)	
Log Pow	0.98 (QSAR)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

alcohols, C9-11, ethoxylated (68439-46-3)	
Bioaccumulative potential	No bioaccumulation data available.

### 12.4. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### 14.1. UN Number

UN-No.(DOT) : Not Regulated  
Other information : No supplementary information available.

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not Regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

1-butoxy-2-propanol (5131-66-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Listed on the Canadian DSL (Domestic Substances List).	
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard

alcohols, C9-11, ethoxylated (68439-46-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Listed on the Canadian DSL (Domestic Substances List).	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

# All Purpose

## Safety Data Sheet

### 15.2. International regulations

#### CANADA

##### 1-butoxy-2-propanol (5131-66-8)

Listed on the Canadian DSL (Domestic Substances List).

##### alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List).

#### EU-Regulations

No additional information available.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

**Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]**

Not classified

#### 15.2.2. National regulations

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

## SECTION 16: Other information

Abbreviations Legend:

H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H401	Toxic to aquatic life

#### Disclaimer

*This document is generated for the purpose of distributing health, safety, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.*

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Revision date: 03/03/2021

Supersedes: 11/05/2014

Version: 1.1