

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture
Product name : Clean Scent
Product code : 11258

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Quat Germicidal Disinfectant

### 1.3. Details of the supplier of the safety data sheet

Crestek Cleaning Center, Inc. 1161 Kapiolani Blvd. Honolulu, HI 96814 T 1-(808) 942-2500

### 1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification (GHS-US)

Skin Irrit. 2 H315 Eye Dam. 1 H318

Full text of H-phrases: see section 16

#### 2.2. Label elements

### **GHS-US** labeling

Hazard pictograms



GHS05

Signal word : Danger

Hazard statements : Causes skin irritation.

Causes serious eye damage.

Precautionary statements : Wash hands and forearms thoroughly after handling.

Wear eye protection, protective gloves. If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### 2.3. Hazard not otherwise classified (HNOC)

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
alcohols, C12-15, ethoxylated	(CAS No) 68131-39-5	1 - 5	Eye Dam. 1, H318

Product Code:11258 EN (English US) Page 1 of 8

### Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
sodium carbonate	(CAS No) 497-19-8	1 - 5	Eye Irrit. 2A, H319
alkyl dimethyl benzyl ammonium chloride (C12-18)	(CAS No) 68391-01-5	1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318
C12-C14-alkyl(ethylbenzyl)dimethylammonium chloride	(CAS No) 85409-23-0/68956-79-6	1 - 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : If skin irritation or rash occurs: Wash with plenty of soap and water. Wash contaminated

clothing before reuse. If skin irritation persists, get medical attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. If you

feel unwell, seek medical advice.

Symptoms/injuries after skin contact : Causes skin irritation. May cause moderate irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the

gastric/intestinal mucosa.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

### 5.2. Special hazards arising from the substance or mixture

Reactivity : Reacts with (some) halogen compounds.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.

Protective gloves.
Protective clothing.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

Product Code:11258 EN (English US) Page 2 of 8

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

### Safety Data Sheet

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment

: Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Wash down leftovers with plenty of water. Wash

clothing and equipment after handling.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Restricted to professional users. Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Observe very strict hygiene - avoid contact. Obtain special instructions before use. Provide good ventilation in process area to prevent formation of vapor. Use personal protective equipment as required.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Incompatible products : Strong acids. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No data available

### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : When using, do not eat, drink or smoke.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Dark blue-green

Odor : Floral

Odor threshold : No data available

pH : 11 - 12

Melting point: No data availableFreezing point: No data availableBoiling point: No data available

Flash point : > 200 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosive limits : No data available Vapor pressure : No data available

Product Code:11258 EN (English US) Page **3** of **8** 

### Safety Data Sheet

Vapor density : No data available

Specific Gravity @ 77° F : 1.020 - 1.040
Solubility : Soluble in water.
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 5 g/l CARB VOC

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Reacts with (some) halogen compounds.

#### 10.2. Chemical stability

Stable under recommended conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Oxidizers.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

sodium carbonate (497-19-8)		
LD50 oral rat	2800 mg/kg (Rat; Experimental value)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value)	
ATE US (oral)	2800.000 mg/kg body weight	
alkyl dimethyl benzyl ammonium chloride (C12-18) (68391-01-5)		
ATE US (oral)	500.000 mg/kg body weight	

C12-C14-alkyl(ethylbenzyl)dimethylammonium chloride (85409-23-0/68956-79-6)	
ATE US (oral)	500.000 mg/kg body weight
ATE US (dermal)	1100.000 mg/kg body weight
alcohols C12-15 athoryulated (68131-39-5)	

alcoholo, C12 10, Chickylatea (CC101 CC C)	
LD50 oral rat	> 200 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation : Causes skin irritation.

pH: 11 - 12

Serious eye damage/irritation : Causes serious eye damage.

pH: 11 - 12 : Not classified

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified

Product Code:11258 EN (English US) Page **4** of **8** 

### Safety Data Sheet

Specific target organ toxicity (repeated

exposure)

: Not classified

: Not classified

Aspiration hazard Potential Adverse human health effects and

: Harmful if swallowed

symptoms

Symptoms/injuries after skin contact

: Causes skin irritation. May cause moderate irritation. : Causes serious eye damage.

Symptoms/injuries after eye contact Symptoms/injuries after ingestion

: FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the

gastric/intestinal mucosa.

### **SECTION 12: Ecological information**

### **Toxicity**

sodium carbonate (497-19-8)	
LC50 fish 1	300 mg/l (96 h; Lepomis macrochirus)
EC50 Daphnia 1	< 424 mg/l (48 h; Daphnia magna)
EC50 other aquatic organisms 1	14 mg/l (168 h; Plankton)
LC50 fish 2	740 mg/l (96 h; Gambusia affinis)
EC50 Daphnia 2	265 mg/l (48 h; Daphnia magna)
TLM fish 1	300 ppm (96 h; Lepomis macrochirus)
TLM other aquatic organisms 1	500 ppm (96 h; Daphnia magna)
Threshold limit algae 1	242 mg/l (5 days; Algae)

alcohols, C12-15, ethoxylated (68131-39	9-5)
LC50 fish 1	1.2 mg/l (PISCES; ESTIMATED VALUE)
EC50 Daphnia 1	1.3 mg/l (ACTIVATED SLUDGE; ESTIMATED VALUE)
EC50 other aquatic organisms 1	0.7 mg/l (ALGAE; ESTIMATED VALUE)
EC50 other aquatic organisms 2	> 100 mg/l (ACTIVATED SLUDGE; ESTIMATED VALUE)

#### Persistence and degradability 12.2.

sodium carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.
ThOD	Not applicable (inorganic)

alcohols, C12-15, ethoxylated (68131-39-5)	
Persistence and degradability	Literature reports: readily degradable in water. test: 81 %, OECD 302B Zahn- Well . Biodegradability in soil: no data available.

#### 12.3. **Bioaccumulative potential**

sodium carbonate (497-19-8)	
Log Pow	-6.19 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

alcohols, C12-15, ethoxylated (68131-39-5)	
Log Pow	3.0
Bioaccumulative potential	According to literature, not bioaccumulative.

#### Other adverse effects 12.4.

Other information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

#### 14.1. **UN Number**

UN-No.(DOT) : Not Regulated

Product Code:11258 EN (English US) Page 5 of 8

# Safety Data Sheet

Other information : No supplementary information available

14.2. UN proper shipping name

DOT Proper Shipping Name : Not Regulated

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

sodium carbonate (497-19-8)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		
alkyl dimethyl benzyl ammonium chloride (C12	alkyl dimethyl benzyl ammonium chloride (C12-18) (68391-01-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		
C12-C14-alkyl(ethylbenzyl)dimethylammonium chloride (85409-23-0/68956-79-6)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		
alcohols, C12-15, ethoxylated (68131-39-5)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		

#### 15.2. International regulations

### **CANADA**

### **EU-Regulations**

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

EPA Registration Number : 1839-95-69410

Product Code:11258 EN (English US) Page 6 of 8

### Safety Data Sheet

**EPA Comments** 

This chemical is a pesticide registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and protective clothing. Harmful if swallowed. Remove contaminated clothing and wash before reuse. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

#### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

Prop 65 Comments

:Formaldehyde (CAS#50-00-0): < 25 ppm

## **SECTION 16: Other information**

Abbreviations Legend:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Product Code:11258 EN (English US) Page **7** of **8** 

## Safety Data Sheet

#### Disclaimer

This document is generated for the purpose of distributing health, safely, and enviornmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Product Code:11258 EN (English US) Page 8 of 8