

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : LIQUID CHERRY SPLASH

Product code : 9051

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Water Soluble Deodorant

## 1.3. Details of the supplier of the safety data sheet

Crestek Cleaning Center, Inc. 1161 Kapiolani Blvd. Honolulu, HI 96814 T 1-(808) 942-2500

### 1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### **Classification (GHS-US)**

Flam. Liq. 4 H227 Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317

Full text of H-phrases: see section 16

### 2.2. Label elements

### **GHS-US** labeling

Hazard pictograms



Signal word : Warning

Hazard statements : Combustible liquid.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Precautionary statements : Keep away from open flames, sparks. - No smoking.

Avoid breathing mist, vapors.

Wash hands and forearms thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace. Wear eye protection, face protection, protective clothing, protective gloves.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

In case of fire: Use alcohol resistant foam, BC-powder, carbon dioxide (CO2), sand to

extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with Local, State, and Federal regulations.

### 2.3. Hazard not otherwise classified (HNOC)

No additional information available

Product Code:9051 EN (English US) Page 1 of 7

## Safety Data Sheet

### **Unknown acute toxicity (GHS-US)**

No data available

## **SECTION 3: Composition/information on ingredients**

Not applicable

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

#### **Mixture** 3.2.

Name	Product identifier	%	Classification (GHS-US)
2-propanol	(CAS No) 67-63-0	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy-	(CAS No) 34398-01-1	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

## **SECTION 4: First aid measures**

### **Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact If skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. Wash

contaminated clothing before reuse. If skin irritation persists, get medical attention.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 42 Most important symptoms and effects, both acute and delayed

Symptoms/injuries Not expected to present a significant hazard under anticipated conditions of normal use. If you

feel unwell, seek medical advice.

Symptoms/injuries after skin contact Causes skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact Causes serious eye irritation.

Symptoms/injuries after ingestion FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa.

Nausea.

## Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

## **Extinguishing media**

: Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth. Suitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

## Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Reacts with (strong) oxidizers: (increased) risk of fire. Reacts with many compounds e.g. Reactivity

(strong) oxidizers, (some) acids and (some) halogens.

## Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information Although product has a flash point <200° F, it is an aqueous solution and does not sustain

combustion.

## **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

Product Code:9051 EN (English US) Page 2 of 7

## Safety Data Sheet

## 6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.

Protective gloves.

Protective clothing.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. If

reacting: dilute combustible/toxic gases/vapors.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials. Wash down leftovers with plenty of water.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling

: Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use personal protective equipment as required.

Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge. Comply with applicable regulations.

Incompatible products : Oxidizing agent. Strong acids.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	200 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
OSHA	OSHA PEL (STEL) (mg/m³)	1225 mg/m³
OSHA	OSHA PEL (STEL) (ppm)	500 ppm

## 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : When using, do not eat, drink or smoke.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

Product Code:9051 EN (English US) Page 3 of 7

## Safety Data Sheet

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Clear pink
Odor : Cherry

Odor threshold : No data available

pH : 6.1 - 7.1

Melting point : No data available Freezing point : No data available

Boiling point :  $> 200 \, ^{\circ}\text{F}$ Flash point :  $> 140 \, ^{\circ}\text{F}$ 

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosive limits : No data available Vapor pressure : No data available Vapor density : No data available

Specific Gravity @ 77° F : 0.985 - 1.005
Solubility : Water: Complete
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 40 g/l CARB VOC

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reacts with (strong) oxidizers: (increased) risk of fire. Reacts with many compounds e.g. (strong) oxidizers, (some) acids and (some) halogens.

## 10.2. Chemical stability

Stable under recommended conditions.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Extremely high or low temperatures. Open flame. Heat. Sparks.

## 10.5. Incompatible materials

Strong acids. Oxidizers.

## 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

2-propanol (67-63-0)		
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)	
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)	
ATE US (oral)	5045.000 mg/kg body weight	
ATE US (dermal)	12870.000 mg/kg body weight	
ATE US (vapors)	73.000 mg/l/4h	
ATE US (dust, mist)	73.000 mg/l/4h	

Product Code:9051 EN (English US) Page **4** of **7** 

## Safety Data Sheet

poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- (34398-01-1)		
LD50 oral rat	> 1400 mg/kg	
ATE US (oral)	500.000 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
	pH: 6.1 - 7.1	

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6.1 - 7.1

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

2-propanol (67-63-0)	
IARC group	3 - Not Classifiable

: Not classified Reproductive toxicity

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated exposure)

: Not classified

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

Specific target organ toxicity (single exposure)

: Based on available data, the classification criteria are not met

symptoms Symptoms/injuries after skin contact

: Causes skin irritation. May cause an allergic skin reaction.

: Causes serious eye irritation.

Symptoms/injuries after eye contact Symptoms/injuries after ingestion

FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa.

Nausea.

## **SECTION 12: Ecological information**

## Toxicity

2-propanol (67-63-0)	
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)
methodowy 4.2 otherworkist) is undered to hydroxy (24200 04.4)	

poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- (34398-01-1)	
LC50 fish 1	1 - 10 mg/l
EC50 Daphnia 1	1 - 10 mg/l
ErC50 (algae)	1 - 10 mg/l

#### Persistence and degradability 12.2.

2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.23 g O2/g substance
ThOD	2.40 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.49 % ThOD

#### 12.3. **Bioaccumulative potential**

2-propanol (67-63-0)	
Log Pow	0.05 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

Product Code:9051 EN (English US) Page **5** of **7** 

## Safety Data Sheet

### 12.4. Other adverse effects

Other information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

## 14.1. UN Number

UN-No.(DOT) : Not Regulated

Other information : Although product has a flash point <200° F, it is an aqueous solution and does not sustain

combustion.

14.2. UN proper shipping name

DOT Proper Shipping Name : Not Regulated

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

2-propanol (67-63-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes  Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard	
poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy- (34398-01-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

## 15.2. International regulations

### **CANADA**

## **EU-Regulations**

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## **SECTION 16: Other information**

Abbreviations Legend:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2

Product Code:9051 EN (English US) Page 6 of 7

## Safety Data Sheet

Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

## Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Revision date: 11/06/2014 Supersedes: 12/26/2012 Version: 1.0

Product Code:9051 EN (English US) Page **7** of **7**