

CECTION 4. Identification of the	the second states and at the second second states a
	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Liquid Splash
Product code	: 9047
1.2. Relevant identified uses of the subst Use of the substance/mixture	ance or mixture and uses advised against : Water Soluble Deodorant
1.3.Details of the supplier of the safety dCrestek Cleaning Center, Inc.1161 Kapiolani Blvd.Honolulu, HI 96814T 1-(808) 942-2500	ata sheet
1.4. Emergency telephone number	
Emergency number	: CHEMTEL: 800-255-3924
SECTION 2: Hazards identification	
	x41#A
	xture
GHS-US classification	
Flam. Liq. 3 Eye Irrit. 2A	H226 H319
Skin Sens. 1	H317
Full text of H statements : see section 16	
2.2. Label elements	
GHS US labelling	
Hazard pictograms	
	GHS02 GHS07
Signal word	: Warning
Hazard statements	: Flammable liquid and vapor.
	May cause an allergic skin reaction.
Precautionary statements	Causes serious eye irritation. : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Trecautionary statements	smoking.
	Keep container tightly closed.
	Ground/Bond container and receiving equipment.
	Use explosion-proof electrical, lighting equipment.
	Use only non-sparking tools.
	Take precautionary measures against static discharge.
	Avoid breathing mist, vapors.
	Wash hands and forearms thoroughly after handling.
	Contaminated work clothing must not be allowed out of the workplace.
	Wear eye protection, face protection, protective gloves, protective clothing.
	IF ON SKIN: Wash with plenty of water.
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Specific treatment (see the emergency and first aid section on this label).
	If skin irritation or rash occurs: Get medical advice/attention.
	If eye irritation persists: Get medical advice/attention.
	Wash contaminated clothing before reuse.
	In case of fire: Use alcohol resistant foam, BC-powder, carbon dioxide (CO2), sand to
Product Code:9047	EN (English) Page 1 of 8

extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 2.3. Hazard not otherwise classified (HNOC)

No additional information available.

2.4. Unknown acute toxicity (GHS US)

No data available

## SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-statements: see section 16

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
2-propanol	(CAS-No.) 67-63-0	5 - 10	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
poly(oxy-1,2-ethanediyl), a-undecyl-w-hydroxy-	(CAS-No.) 34398-01-1	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401
(+)-limonene	(CAS-No.) 5989-27-5	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
dipentene	(CAS-No.) 138-86-3	<1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

SECTION 4: First aid measures	
4.1. Description of first aid measu	ires
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: If skin irritation or rash occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use. If you feel unwell, seek medical advice.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. May cause slight irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand.

# Liquid Splash Safety Data Sheet

Unsuitable extinguishing media	: No unsuitable extinguishing media known.	
5.2. Special hazards arising from	the substance or mixture	
Fire hazard	: Flammable liquid and vapor.	
Reactivity	: Reacts with (strong) oxidizers: (increased) risk of fire. Reacts with many compounds e.g. (strong) oxidizers, (some) acids and (some) halogens.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting Other information	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Although product has a flash point &lt;200° F, it is an aqueous solution and does not sustain combustion.</li> </ul>	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, protect	ctive equipment and emergency procedures	
General measures	: Isolate from fire, if possible, without unnecessary risk. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personn	nel	
Protective equipment	: Protective goggles.	
	Protective gloves.	
	Protective clothing.	
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with appropriate safety equipment.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public water	rs. Notify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for co	ntainment and cleaning up	
For containment	: Contain released product, pump into suitable containers. Plug the leak, cut off the supply. If reacting: dilute combustible/toxic gases/vapours.	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See Heading 8. Exposure controls and p	personal protection.	
SECTION 7: Handling and stor	rage	
	a	
7.1. Precautions for safe handlin	5	
	Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Observe normal	
Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilatio of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use	
Precautions for safe handling Hygiene measures	<ul> <li>Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.</li> <li>Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and</li> </ul>	
Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage,	<ul> <li>Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.</li> <li>Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> </ul>	
Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, Technical measures	<ul> <li>Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.</li> <li>Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>including any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond</li> </ul>	
Precautions for safe handling Hygiene measures	<ul> <li>Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.</li> <li>Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>Including any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.</li> </ul>	
Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, Technical measures Incompatible products	<ul> <li>Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.</li> <li>Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>Including any incompatibilities</li> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.</li> <li>Oxidizing agent. Strong acids.</li> <li>Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.</li> </ul>	

2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	200 ppm

## Liquid Splash

Safety Data Sheet

2-propanol (67-63-0)		
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
OSHA	OSHA PEL (STEL) (mg/m³)	1225 mg/m³
OSHA	OSHA PEL (STEL) (ppm)	500 ppm

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Other information	: Do not eat, drink or smoke during use.
Appropriate engineering controls	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## SECTION 9: Physical and chemical properties

9.1.	Information on basic physical ar	nd che	mical properties
Physica	I state	:	Liquid
Colour		:	Clear light yellow
Odour		:	Lemon
Odour th	nreshold	:	No data available
рН		:	7 - 8
Melting	point	:	No data available
Freezing	g point	:	No data available
Boiling p	point	:	No data available
Flash po	pint	:	> 125 °F
Relative	evaporation rate (butylacetate=1)	:	No data available
Flamma	bility (solid, gas)	:	No data available
Explosiv	ve limits	:	No data available
Vapour	pressure	:	No data available
Vapor d	ensity	:	No data available
Specific	Gravity @ 77° F		0 978 - 0 998
Solubilit			Soluble in water
Colubilit	y		Water: Complete
Partition	Coefficient n-Octanol-Water	:	No data available
Auto-ignition temperature		:	No data available
Decomposition temperature		:	No data available
Viscosit	у	:	No data available
9.2.	Other information		
VOC co	ntent		< 65 g/l CARB VOC

VOC content

: < 65 g/I CARB VOC

## SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with (strong) oxidizers: (increased) risk of fire. Reacts with many compounds e.g. (strong) oxidizers, (some) acids and (some) halogens.

## 10.2. Chemical stability

Stable under recommended conditions.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Extremely high or low temperatures. Open flame. Heat. Sparks.

# Liquid Splash Safety Data Sheet

#### 10.5. Incompatible materials

Strong acids. Oxidizers.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

1.1. Information on toxicological effects	\$	
cute toxicity	: Not classified	
2-propanol (67-63-0)		
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)	
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)	
ATE US (oral)	5045 mg/kg bodyweight	
ATE US (dermal)	12870 mg/kg bodyweight	
ATE US (vapours)	73 mg/l/4h	
ATE US (dust,mist)	73 mg/l/4h	
poly(oxy-1,2-ethanediyl), a-undecyl-w-hydr	oxy- (34398-01-1)	
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
ATE US (oral)	500 mg/kg bodyweight	
(+)-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg bodyweight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
ATE US (oral)	4400 mg/kg bodyweight	
dipentene (138-86-3)		
LD50 oral rat	5300 mg/kg (Rat)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)	
ATE US (oral)	5300 mg/kg bodyweight	
kin corrosion/irritation	Not classified	
	pH: 7 - 8	
erious eye damage/irritation	: Causes serious eye irritation.	
	pH: 7 - 8	
espiratory or skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met.	
Carcinogenicity	: Not classified	
2-propanol (67-63-0)		
IARC group	3 - Not classifiable	
(+)-limonene (5989-27-5)		
IARC group	3 - Not classifiable	
reproductive toxicity	: Not classified	
	Based on available data, the classification criteria are not met.	
TOT-single exposure	: Not classified	
TOT-repeated exposure	: Not classified	
spiration hazard	: Not classified	
Potential adverse human health effects and		
ymptoms	: Based on available data, the classification criteria are not met.	
	A Anno 1999 and 1999	
symptoms/effects after skin contact	: May cause an allergic skin reaction. May cause slight irritation.	

## Liquid Splash

Safety Data Sheet

Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea.	
SECTION 12: Ecological inform	ation	
12.1. Toxicity		
2-propanol (67-63-0)		
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)	
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)	
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)	
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)	
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)	
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)	
poly(oxy-1,2-ethanediyl), a-undecyl-w	-hydroxy- (34398-01-1)	
LC50 fish 1	≈ 7.5 (5 - 10) mg/l	
EC50 Daphnia 1	≈ 7.5 (5 - 10) mg/l	
ErC50 (algae)	≈ 50 (1 - 100) mg/l	
(+)-limonene (5989-27-5)		
LC50 fish 1	720 μg/l (96 h; Pimephales promelas; Lethal)	
EC50 Daphnia 1	0.36 mg/l (48 h; Daphnia magna; GLP)	
LC50 fish 2	702 μg/l (96 h; Pimephales promelas)	
Threshold limit algae 1	150 mg/l (72 h; Desmodesmus subspicatus; GLP)	
Threshold limit algae 2	2.62 mg/l (72 h; Desmodesmus subspicatus)	
dipentene (138-86-3)		
LC50 fish 1	38.5 mg/l (96 h; Pisces)	
EC50 Daphnia 1	31 mg/l (48 h; Daphnia magna)	
LC50 fish 2	33 - 84 mg/l (Leuciscus idus)	
Threshold limit algae 2	4.08 mg/l (96 h; Chlorophyta; Growth)	
12.2. Persistence and degradability	,	
2-propanol (67-63-0)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under	

12.2. Persistence	and degradability
-------------------	-------------------

Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test) data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance
ThOD	2.4 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.49 % ThOD
(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Absorbs into the soil.
ThOD	3.29 g O <sub>2</sub> /g substance
dipentene (138-86-3)	
Persistence and degradability	Biodegradable in water. Not easily biodegradable in water in anaerobic conditions. Forming sediments in water. Biodegradable in the soil. Absorbs into the soil. Ozonation in the air.
ThOD	3.29 g O <sub>2</sub> /g substance
2.3. Bioaccumulative potential	
2-propanol (67-63-0)	
Log Pow	0.05 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
(+)-limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (Pisces; Fresh weight)
Log Pow	4.38 (Experimental value: OECD 117: Partition Coefficient (n-octanol/water) HPI C method:

Log Pow	<ul> <li>4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method;</li> <li>37 °C)</li> </ul>
Bioaccumulative potential	Potential for bioaccumulation ( $4 \ge Log \text{ Kow} \le 5$ ).
dipentene (138-86-3)	
Log Pow	4.57 (Experimental value)
Bioaccumulative potential	Bioaccumulative.

# Liquid Splash Safety Data Sheet

.4. Other adverse effects	
her information	: Avoid release to the environment.
ECTION 13: Disposal consideratio	ns
3.1. Waste treatment methods	
roduct/Packaging disposal recommendations	: Dispose of contents/container in accordance with Local, State, and Federal regulations.
dditional information	: Handle empty containers with care because residual vapors are flammable.
cology - waste materials	: Avoid release to the environment.
ECTION 14: Transport information	
4.1. UN Number	
N-No.(DOT)	: Not Regulated
Other information	: Although product has a flash point <200° F, it is an aqueous solution and does not sustain
	combustion.
4.2. UN proper shipping name	
roper Shipping Name (DOT)	: Not Regulated
ECTION 15: Regulatory informatio	n
5.1. US Federal regulations	
Reauthorization Act of 1986 and 40 CFR Part 2-propanol (67-63-0)	372.
Listed on the United States TSCA (Toxic Subs Listed on the Canadian DSL (Domestic Substa	
SARA Section 311/312 Hazard Classes	Delayed (chronic) health hazard Immediate (acute) health hazard Fire hazard
poly(oxy-1,2-ethanediyl), a-undecyl-w-hydro	oxy- (34398-01-1)
Listed on the United States TSCA (Toxic Subs	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
(+)-limonene (5989-27-5)	
Listed on the United States TSCA (Toxic Subs Listed on the Canadian DSL (Domestic Substa	
SARA Section 311/312 Hazard Classes	Fire hazard
	Immediate (acute) health hazard Delayed (chronic) health hazard
dipentene (138-86-3)	
Listed on the United States TSCA (Toxic Subs	
Listed on the Canadian DSL (Domestic Substa SARA Section 311/312 Hazard Classes	Fire hazard
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
5.2. International regulations	
ANADA	
2-propanol (67-63-0)	
Listed on the Canadian DSL (Domestic Substa	ances List)
(+)-limonene (5989-27-5)	
Listed on the Canadian DSL (Domostic Subst	

Listed on the Canadian DSL (Domestic Substances List).

## Liquid Splash

Safety Data Sheet

## dipentene (138-86-3)

Listed on the Canadian DSL (Domestic Substances List).

## **EU-Regulations**

No additional information available.

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

## Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

### 15.2.2. National regulations

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

## SECTION 16: Other information

Abbreviations Legend:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

### Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Revision date: 10/22/2020 Supersedes: 11/04/2014 Version: 1.1