

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : **Shower Stain Remover**  
 Product code : 239

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Stain Remover

#### 1.3. Details of the supplier of the safety data sheet

Crestek Cleaning Center, Inc.  
 1161 Kapiolani Blvd.  
 Honolulu, HI 96814  
 T 1-(808) 942-2500

#### 1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Skin Irrit. 2 : H315  
 Eye Dam. 1 : H318  
 STOT SE 3 : H335

Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms :



Signal word :

Danger

Hazard statements :

Causes skin irritation.

Causes serious eye damage.

May cause respiratory irritation.

Precautionary statements :

Avoid breathing mist, vapors.

Wash hands and forearms thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear eye protection, protective gloves.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with Local, State, and Federal regulations.

#### 2.3. Hazard not otherwise classified (HNOC)

No additional information available.

#### 2.4. Unknown acute toxicity (GHS US)

No data available

# Shower Stain Remover

## Safety Data Sheet

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable.

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	GHS US classification
sodium hypochlorite	(CAS-No.) 7681-52-9	1 - 5	Skin Corr. 1B, H314 Aquatic Acute 1, H400

(NOTE: If component displays the \* (asterisk) symbol, the following statement applies.)

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: If skin irritation or rash occurs: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use. If you feel unwell, seek medical advice.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea. Gastrointestinal complaints.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Extinguishing media for surrounding fires. Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity	: On burning: release of toxic and corrosive gases/vapors (chlorine, hydrogen chloride). Decomposes slowly on exposure to air: oxidation which increases fire hazard and release of toxic and corrosive gases/vapors (chlorine). This reaction is accelerated on exposure to light, on exposure to temperature rise and on exposure to (some) metals. Reacts violently with (some) acids/bases: release of toxic and corrosive gases/vapors (chlorine).
------------	---

#### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: No additional information available.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Isolate from fire, if possible, without unnecessary risk.
------------------	---

##### 6.1.1. For non-emergency personnel

Protective equipment	: Protective gloves. Protective goggles. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel.

# Shower Stain Remover

## Safety Data Sheet

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill. If reacting: dilute toxic gas/vapor with water spray.  
Methods for cleaning up : Liquid spill: neutralize. Take up liquid spill into a non combustible material e.g.: sand, earth, vermiculite. Scoop absorbed substance into closing containers. Spill must not return in its original container. Damaged/cooled tanks must be emptied. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe mist, vapors. Ensure good ventilation of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required.  
Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.  
Incompatible products : Strong acids. Oxidizing agent.  
Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No data available

### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.  
Hand protection : Wear protective gloves.  
Eye protection : Chemical goggles or face shield.  
Skin and body protection : Wear suitable protective clothing.  
Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. In case of insufficient ventilation, wear suitable respiratory equipment.  
Other information : Do not eat, drink or smoke during use.  
Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Color : Clear pale yellow  
Odor : Lemon  
Odor threshold : No data available  
pH : 12 - 13  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point : Will not flash

# Shower Stain Remover

## Safety Data Sheet

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosion limits	: No data available
Vapor pressure	: No data available
Vapor density	: No data available

Specific Gravity @ 77° F	: 1.075 - 1.095
Solubility	: Water: Complete
Partition Coefficient n-Octanol-Water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available

### 9.2. Other information

VOC content	: < 1 g/l
-------------	-----------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

On burning: release of toxic and corrosive gases/vapors (chlorine, hydrogen chloride). Decomposes slowly on exposure to air: oxidation which increases fire hazard and release of toxic and corrosive gases/vapors (chlorine). This reaction is accelerated on exposure to light, on exposure to temperature rise and on exposure to (some) metals. Reacts violently with (some) acids/bases: release of toxic and corrosive gases/vapors (chlorine).

### 10.2. Chemical stability

Unstable on exposure to light.

### 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidizers. Acids. May be corrosive to metals.

### 10.6. Hazardous decomposition products

Chlorine. Hydrogen chloride vapors.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation. pH: 12 - 13
Serious eye damage/irritation	: Causes serious eye damage. pH: 12 - 13
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met.
Carcinogenicity	: Not classified

#### sodium hypochlorite (7681-52-9)

IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met.
Specific target organ toxicity – single exposure	: May cause respiratory irritation.
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

# Shower Stain Remover

## Safety Data Sheet

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Nausea. Gastrointestinal complaints.

### SECTION 12: Ecological information

#### 12.1. Toxicity

sodium hypochlorite (7681-52-9)	
LC50 fish 1	0.026 mg/l (96 h; Oncorhynchus kisutch; Chlorine)
EC50 Daphnia 1	2.1 mg/l (96 h; Daphnia magna)
EC50 other aquatic organisms 1	0.2 mg/l (24 h; Skeletonema costatum; Biomass)
LC50 fish 2	0.19 mg/l (96 h; Pimephales promelas)
Threshold limit algae 1	0.84 mg/l (24 h; Chlorophyta; Biomass)

#### 12.2. Persistence and degradability

sodium hypochlorite (7681-52-9)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

#### 12.3. Bioaccumulative potential

sodium hypochlorite (7681-52-9)	
Bioaccumulative potential	Not bioaccumulative.

#### 12.4. Other adverse effects

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### 14.1. UN Number

UN-No.(DOT) : Not Regulated  
Other information : No supplementary information available.

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not Regulated

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Benzenesulfonic Acid,Oxybis[decyl]-, Disodium Salt	CAS-No. 70146-13-3	< 0.1%
--	--------------------	--------

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

sodium hypochlorite (7681-52-9)
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Not subject to reporting requirements of the United States SARA Section 313. Listed on the Canadian DSL (Domestic Substances List).

# Shower Stain Remover

## Safety Data Sheet

### sodium hypochlorite (7681-52-9)

RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists) :	100 lb
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

### 15.2. International regulations

#### CANADA

### sodium hypochlorite (7681-52-9)

Listed on the Canadian DSL (Domestic Substances List).

#### EU-Regulations

No additional information available.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

**Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]**

Not classified

#### 15.2.2. National regulations

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

## SECTION 16: Other information

Abbreviations Legend:

H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

#### Disclaimer

*This document is generated for the purpose of distributing health, safety, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.*

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Revision date: 02/28/2020

Supersedes: 11/06/2014

Version: 1.1