

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Zani Clean Lavender

Product code : 6961

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Paste Cleaner

1.3. Details of the supplier of the safety data sheet

Crestek Cleaning Center, Inc. 1161 Kapiolani Blvd. Honolulu, HI 96814 T 1-(808) 942-2500

1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Eye Irrit. 2B H320

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Signal word : Warning

Hazard statements : Causes eye irritation.

Precautionary statements : Wash hands thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

2.3. Hazard not otherwise classified (HNOC)

No additional information available

2.4. Unknown acute toxicity (GHS-US)

6.88 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

6.88 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

6.88 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/information on ingredients

3.1. Substan

Not applicable

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
quartz	(CAS No) 14808-60-7	50 - 55	Carc. 1A, H350
sodium tallowate	(CAS No) 8052-48-0	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
sodium carbonate	(CAS No) 497-19-8	1 - 5	Eye Irrit. 2A, H319

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Product Code:6961 EN (English US) Page 1 of 6

Safety Data Sheet

First-aid measures after inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. First-aid measures after ingestion

Most important symptoms and effects, both acute and delayed

: Not expected to present a significant hazard under anticipated conditions of normal use. If you Symptoms/injuries

feel unwell, seek medical advice.

Symptoms/injuries after skin contact Contact during a long period may cause slight irritation.

Symptoms/injuries after eye contact Causes eve irritation.

FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa. Symptoms/injuries after ingestion

Irritation of the oral mucous membranes. Nausea.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

: Extinguishing media for surrounding fires. Suitable extinguishing media Unsuitable extinguishing media : No unsuitable extinguishing media known.

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders 6.1.2.

Protective equipment : Equip cleanup crew with proper protection.

: Ventilate area. **Emergency procedures**

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

: Provide good ventilation in process area to prevent formation of vapor. Do not breathe fume, Precautions for safe handling

mist, or vapors. Do not get in eyes, on skin, or on clothing.

Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after Hygiene measures handling. Wash contaminated clothing before reuse. Wash hands and other exposed areas

with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Incompatible products : Oxidizing agent. Strong acids.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

Product Code:6961 EN (English US) Page 2 of 6

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 R
OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses. Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : When using, do not eat, drink or smoke.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Purple
Odor : Lavender
Odor threshold : No data available

pH : 8 - 11

Melting point : No data available Freezing point : No data available

Boiling point : $> 200 \, ^{\circ}\text{F}$ Flash point : $> 200 \, ^{\circ}\text{F}$

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosive limits : No data available Vapor pressure : No data available Vapor density : No data available

Specific Gravity @ 77° F : 1.298 - 1.318

Solubility : Water: Complete

Partition Coefficient n-Octanol-Water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

9.2. Other information

VOC content : < 1 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under recommended conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Extremely high or low temperatures.

Product Code:6961 EN (English US) Page 3 of 6

Safety Data Sheet

10.5. Incompatible materials

Strong acids. Oxidizing agent.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat; Experimental value)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value)
ATE US (oral)	2800.000 mg/kg body weight

Skin corrosion/irritation : Not classified

pH: 8 - 11

Serious eye damage/irritation : Causes eye irritation.

pH: 8 - 11

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified.

quartz (14808-60-7)	
Additional information	Only airborne particles of respirable size
IARC group	1 - Carcinogenic to Humans

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

Symptoms/injuries after skin contact : Contact during a long period may cause slight irritation.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : FOLLOWING SYMPTOMS MAY APPEAR LATER: Irritation of the gastric/intestinal mucosa.

Irritation of the oral mucous membranes. Nausea.

SECTION 12: Ecological information

12.1. Toxicity

sodium carbonate (497-19-8)		
LC50 fish 1	300 mg/l (96 h; Lepomis macrochirus)	
EC50 Daphnia 1	< 424 mg/l (48 h; Daphnia magna)	
EC50 other aquatic organisms 1	14 mg/l (168 h; Plankton)	
LC50 fish 2	740 mg/l (96 h; Gambusia affinis)	
EC50 Daphnia 2	265 mg/l (48 h; Daphnia magna)	
TLM fish 1	300 ppm (96 h; Lepomis macrochirus)	
TLM other aquatic organisms 1	500 ppm (96 h; Daphnia magna)	
Threshold limit algae 1	242 mg/l (5 days; Algae)	

12.2. Persistence and degradability

sodium carbonate (497-19-8)		
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.	
ThOD	Not applicable (inorganic)	
quartz (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable.	

Product Code:6961 EN (English US) Page 4 of 6

Safety Data Sheet

quartz (14808-60-7)		
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

12.3. Bioaccumulative potential

sodium carbonate (497-19-8)	
Log Pow	-6.19 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

quartz (14808-60-7)	
Log Pow	Not applicable
Bioaccumulative potential	No bioaccumulation data available.

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

UN-No.(DOT) : Not Regulated

Other information : No supplementary information available

14.2. UN proper shipping name

DOT Proper Shipping Name : Not Regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

100001101120101110101010110110101011010101			
sodium carbonate (497-19-8)			
Listed on the United States TSCA (Toxic Substant	Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard		
sodium tallowate (8052-48-0)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard			
quartz (14808-60-7)			
Listed on IARC (International Agency for Research on Cancer) Listed on the United States TSCA (Toxic Substances Control Act) inventory			
SARA Section 311/312 Hazard Classes Delayed (chronic) health hazard			

15.2. International regulations

CANADA

EU-Regulations

No additional information available

Product Code:6961 EN (English US) Page 5 of 6

Safety Data Sheet

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

Prop 65 Comments

:Quartz (CAS# 14808-60-7) is listed on Prop 65; however, there are no exposures to airborne particles of respirable size as detailed in Prop 65 since the component is in a solution.

quartz (14808-60-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	

SECTION 16: Other information

Abbreviations Legend:

Carc. 1A	Carcinogenicity Category 1A
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H319	Causes serious eye irritation
H320	Causes eye irritation
H350	May cause cancer

Disclaimer

This document is generated for the purpose of distributing health, safely, and enviornmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Product Code:6961 EN (English US) Page 6 of 6