

SECTION 1: Identification of the subs	tance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Zani One-Step
Product code	: 285
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
Use of the substance/mixture	: Quat Detergent Disinfectant
1.3. Details of the supplier of the safety da	ata sheet
Crestek Cleaning Center, Inc. 1161 Kapiolani Blvd. Honolulu, HI 96814 T 1-(808) 942-2500	
1.4. Emergency telephone number	
Emergency number	: CHEMTEL: 800-255-3924
SECTION 2: Hazards identification	
2.1. Classification of the substance or mix	xture
GHS US classification	
Eye Irrit. 2B	H320
Aquatic Acute 2	H401
Aquatic Chronic 3	H412
Full text of H statements : see section 16	
2.2. Label elements	
GHS US labeling	
Signal word	: Warning
Hazard statements	: Causes eye irritation.
	Toxic to aquatic life.
	Harmful to aquatic life with long lasting effects.
Precautionary statements	: Wash hands thoroughly after handling.
	Avoid release to the environment.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If eye irritation persists: Get medical advice/attention.
	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3. Hazard not otherwise classified (HNO	

No additional information available.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients 3.1. Substances

Not applicable.

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	GHS US classification
2-(2-butoxyethoxy)ethanol	(CAS-No.) 112-34-5	5 - 10	Eye Irrit. 2A, H319
tetrasodium ethylenediaminetetracetate	(CAS-No.) 64-02-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Zani One-Step

Safety Data Sheet

Name	Product identifier	%	GHS US classification
C12-C14-alkyl(ethylbenzyl)dimethylammonium chloride	(CAS-No.) 85409-23-0/68956-79-6	0.1 - 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
alkyl dimethyl benzyl ammonium chloride (C12-18)	(CAS-No.) 68391-01-5	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.) *Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

SECTION 4: First aid measures Description of first aid measures 4.1. First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for First-aid measures after inhalation breathing. If you feel unwell, seek medical advice. First-aid measures after skin contact If skin irritation or rash occurs: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation persists, get medical attention. First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects after skin contact : Slight irritation. Repeated exposure may cause skin dryness or cracking. Symptoms/effects after eye contact : Causes serious eye irritation. : FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation of the Symptoms/effects after ingestion gastric/intestinal mucosa. Irritation of the oral mucous membranes. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed No additional information available.

SECTION 5: Firefighting measures **Extinguishing media** 5.1. : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth. Suitable extinguishing media Unsuitable extinguishing media : Do not use a heavy water stream. Special hazards arising from the substance or mixture 52 No additional information available. 5.3. Advice for firefighters **Firefighting instructions** : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. : No additional information available. Other information **SECTION 6: Accidental release measures** Personal precautions, protective equipment and emergency procedures 6.1. : Clean up any spills as soon as possible, using an absorbent material to collect it. Do not handle General measures until all safety precautions have been read and understood. 6.1.1. For non-emergency personnel Protective equipment : Protective goggles. Protective gloves. Emergency procedures : Evacuate unnecessary personnel. 6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : Ventilate area. 6.2. **Environmental precautions** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 6.3. Methods and material for containment and cleaning up : Contain released product, pump into suitable containers. Plug the leak, cut off the supply. For containment

Zani One-Step Safety Data Sheet

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Wash down leftovers with plenty of water. Wash clothing and equipment after handling.
6.4. Reference to other sections	
See Heading 8. Exposure controls and pers	onal protection.
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with eyes. Avoid prolonged and repeated contact with skin. Observe normal hygiene standards.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Provide local exhaust or general room ventilation. Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at temperatures not exceeding 120F.
Incompatible products	: Strong acids. Oxidizing agent.
Storage area	: Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-(2-butoxyethoxy)ethanol (112-34-5)		
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	ACGIH STEL (ppm)	10 ppm

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Other information	: Do not eat, drink or smoke during use.
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	d chemical properties	
Physical state	: Liquid	
Color	: Clear light straw	
Odor	: Citrus	
Odor threshold	: No data available	
рН	: 11.5 - 12.5	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: > 212 °F	
Flash point	: > 201 °F	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Vapor pressure	: No data available	
Vapor density	: No data available	
Specific Gravity @ 77º F	: 1.005 - 1.025	
Solubility	: Soluble in water	
Partition Coefficient n-Octanol-Water	: No data available	
Product Code:285	EN (English US)	Page 3 of 8

Zani One-Step Safety Data Sheet

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
9.2. Other information	
VOC content	: < 5 g/I CARB VOC
SECTION 10: Stability and reactivity	1
10.1. Reactivity	
No additional information available.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Extremely high or low temperatures.	
10.5. Incompatible materials	
Strong acids. Oxidizers.	
10.6. Hazardous decomposition products	S .
Carbon monoxide. Carbon dioxide. Nitrogen oxi	des.
SECTION 11: Toxicological information	tion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
•	
2-(2-butoxyethoxy)ethanol (112-34-5)	
LD50 oral rat	5660 mg/kg (Rat)
LD50 dermal rabbit	2764 mg/kg (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity)
ATE US (oral)	5660 mg/kg body weight
ATE US (dermal)	2764 mg/kg body weight
tetrasodium ethylenediaminetetracetate (64	
LD50 oral rat	> 2000 mg/kg (Rat)
ATE US (oral)	500 mg/kg body weight
ATE US (oral)	
C12-C14-alkyl(ethylbenzyl)dimethylammoni	
	ium chloride (85409-23-0/68956-79-6) 350 mg/kg
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral)	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5)
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral)	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral)	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 650 mg/kg body weight
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 650 mg/kg body weight : Not classified
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 650 mg/kg body weight : Not classified pH: 11.5 - 12.5
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 650 mg/kg body weight : Not classified pH: 11.5 - 12.5 : Causes eye irritation.
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 650 mg/kg body weight : Not classified pH: 11.5 - 12.5 : Causes eye irritation. pH: 11.5 - 12.5
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 650 mg/kg body weight : Not classified pH: 11.5 - 12.5 : Causes eye irritation. pH: 11.5 - 12.5 : Not classified
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 650 mg/kg body weight : Not classified pH: 11.5 - 12.5 : Causes eye irritation. pH: 11.5 - 12.5 : Not classified : Not classified pH: 11.5 - 12.5 : Not classified pH: 11.5 - 12.5 : Not classified pH: 10.5 - 12.5 : Not classified : Not classified
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg body weight : Not classified pH: 11.5 - 12.5 : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg by body weight : Not classified pH: 11.5 - 12.5 : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified : Not classified
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 11.5 - 12.5 Causes eye irritation. pH: 11.5 - 12.5 Not classified Based on available data, the classification criteria are not met. Not classified Based on available data, the classification criteria are not met. Not classified Based on available data, the classification criteria are not met.
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg by body weight : Not classified pH: 11.5 - 12.5 : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified : Not classified
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat ATE US (oral) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity – single exposure	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 650 mg/kg 650 mg/kg body weight : Not classified pH: 11.5 - 12.5 : Causes eye irritation. pH: 11.5 - 12.5 : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified Based on available data, the classification criteria are not met. : Not classified
C12-C14-alkyl(ethylbenzyl)dimethylammoni LD50 oral rat LD50 dermal rabbit ATE US (oral) ATE US (dermal) alkyl dimethyl benzyl ammonium chloride (LD50 oral rat	ium chloride (85409-23-0/68956-79-6) 350 mg/kg 3000 mg/kg 350 mg/kg body weight 1100 mg/kg body weight C12-18) (68391-01-5) 650 mg/kg 11.5 - 12.5 Causes eye irritation. pH: 11.5 - 12.5 Not classified Based on available data, the classification criteria are not met. Not classified Based on available data, the classification criteria are not met. Not classified Based on available data, the classification criteria are not met.

Safety Data Sheet

Aspiration hazard	: Not classified	
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects after skin contact	: Slight irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: Causes serious eye irritation.	
Symptoms/effects after ingestion	: FOLLOWING SYMPTOMS MAY APPEAR LATER: Gastrointestinal complaints. Irritation gastric/intestinal mucosa. Irritation of the oral mucous membranes. Nausea.	of the

SECTION 12: Ecological information

12.1. Toxicity

2-(2-butoxyethoxy)ethanol (112-34-5)	
LC50 fish 1	1300 mg/l (96 h; Lepomis macrochirus)
LC50 other aquatic organisms 1	10 - 100 mg/l (96 h)
EC50 Daphnia 1	2850 mg/l (24 h; Daphnia magna; GLP)
LC50 fish 2	1805 mg/l (48 h; Leuciscus idus)
EC50 Daphnia 2	> 100 mg/l (48 h; Daphnia magna)
TLM fish 1	10 - 100,96 h; Pisces
TLM other aquatic organisms 1	10 - 100,96 h
Threshold limit other aquatic organisms 1	10 - 100,96 h
Threshold limit algae 1	53 mg/l (192 h; Microcystis aeruginosa)
Threshold limit algae 2	>= 100 mg/l (96 h; Scenedesmus subspicatus)
tetrasodium ethylenediaminetetracetate (64	I-02-8)
LC50 fish 1	121 mg/l (96 h; Lepomis macrochirus; Soft water)
EC50 Daphnia 1	625 mg/l (24 h; Daphnia magna)
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)

12.2. Persistence and degradability

2-(2-butoxyethoxy)ethanol (112-34-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.25 g O ₂ /g substance
Chemical oxygen demand (COD)	2.08 g O ₂ /g substance
ThOD	$2.173 \text{ g } \text{O}_2/\text{g substance}$
BOD (% of ThOD)	0.11 % ThOD
tetrasodium ethylenediaminetetracetate (64-0	2-8)
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	< 0.002 g O ₂ /g substance
Chemical oxygen demand (COD)	0.54 - 0.58 g O ₂ /g substance

12.3. Bioaccumulative potential

2-(2-butoxyethoxy)ethanol (112-34-5)	
BCF fish 1	0.46 (QSAR)
Log Pow	0.56 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
tetrasodium ethylenediaminetetracetate (64-02-8)	
Log Pow	-2.6
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Other adverse effects

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with Local, State, and Federal regulations.	
Ecology - waste materials	: Avoid release to the environment.	

Other information

Zani One-Step

Safety Data Sheet

SECTION 14: Transport information

14.1. UN Number UN-No.(DOT) : Not Regulated Other information : No supplementary information available. 14.2. UN proper shipping name

Proper Shipping Name (DOT)

: Not Regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-(2-butoxyethoxy)ethanol		CAS-No. 112-34-5	5 - 10%		
2-(2-butoxyethoxy)ethanol (112-34-5)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Subject to reporting requirements of United States SARA Section 313. Listed on the Canadian DSL (Domestic Substances List).					
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard				
SARA Section 313 - Emission Reporting	1 %				
tetrasodium ethylenediaminetetracetate (64-02-8)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory. Listed on the Canadian DSL (Domestic Substances List).					
SARA Section 311/312 Hazard Classes	Immediate (acut	e) health hazard			
C12-C14-alkyl(ethylbenzyl)dimethylammonium chloride (85409-23-0/68956-79-6)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory.					
SARA Section 311/312 Hazard Classes	Immediate (acut	e) health hazard			
alkyl dimethyl benzyl ammonium chloride (C12-18) (68391-01-5)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory.					
SARA Section 311/312 Hazard Classes	Immediate (acut	e) health hazard			

15.2. International regulations

CANADA

2-(2-butoxyethoxy)ethanol (112-34-5)	
Listed on the Canadian DSL (Domestic Substances List).	
chelant (64-02-8)	
Listed on the Canadian DSL (Domestic Substances List).	

EU-Regulations

No additional information available.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified 15.2.2. National regulations EPA Registration Number : 1839-83-10693 • EPA Est. No. 10693-CA-1

Zani One-Step Safety Data Sheet

EPA Comments	: This chemical is a pesticide registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.
	KEEP OUT OF REACH OF CHILDREN
	CAUTION
	PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS
	CAUTION
	KEEP OUT OF REACH OF CHILDREN. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.
	ENVIRONMENTAL HAZARDS
	This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.
	FIRST AID
	Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
15.3. US State regulations	
Prop 65 Comments :	This product contains or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov
	1,4-dioxane (CAS 123-91-1) Acetaldehyde (CAS 75-07-0) Ethylene Glycol (CAS 107-21-1)

SECTION 16: Other information

Abbreviations Legend:

H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H400	Very toxic to aquatic life

Zani One-Step

Safety Data Sheet

H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE 1-(808) 942-2500

Revision date: 04/14/2020 Supersedes: 11/09/2017 Version: 1.3